




# Pagoda

Luminaire to be suspended from the ceiling. Consists of an external aluminium with a second reflector and the electronic equipment inside. Tempered glass is used to close the set. Suspended by a metal wire.

## Pagoda

Installation	Ceiling suspended mounted
Diffuser	
Light source	LED
Photobiological safety	1
UGR	22
CRI	>80-90
MacAdam ellipse	3
Beam angle range	94
Power range (W)	17,4-39,4
Colour temperature (°K)	3000   4000   5000
Light range	1760-6100
Power factor	0,95
Efficiency (%)	89,2
Expectancy	60000 h L70B10
DALI Option	✓
Continuous function 24h	✓
IP	20
Class	I

 Concentric diffuser



For other CRI values, please contact us.

# Pagoda



Ceiling suspended mounted



LED CE 850°C

IP 20

CRI >80-90

UGR 22

94°


Expectancy  
**60000 h.**  
L70B10

Efficiency (%)  
**89,2**


Photobiological safety

RG0	Risk free
RG1*	<b>1</b> Low risk
RG2	Moderate risk
RG3	High risk

\*Time under 3 h.



Concentric diffuser



	W	K	LUMEN	COLOUR	
<b>VG33G</b>	1x17,4W	3000	2650 lm	●	3,9
<b>VG34G</b>	1x17,4W	4000	2850 lm	●	3,9
<b>VG43G</b>	1x25,1W	3000	3580 lm	●	3,9
<b>VG44G</b>	1x25,1W	4000	3780 lm	●	3,9
<b>VG53G</b>	1x39,4W	3000	4750 lm	●	3,9
<b>VG54G</b>	1x39,4W	4000	4980 lm	●	3,9
<b>VG63G</b>	1x35,2W	3000	5800 lm	●	3,9
<b>VG64G</b>	1x35,2W	4000	6100 lm	●	3,9



Compatible with **NormaLINK**

	W	K	LUMEN	COLOUR	
<b>VG33DG</b>	1x17,4W	3000	2650 lm	●	3,9
<b>VG34DG</b>	1x17,4W	4000	2850 lm	●	3,9
<b>VG43DG</b>	1x25,1W	3000	3580 lm	●	3,9
<b>VG44DG</b>	1x25,1W	4000	3780 lm	●	3,9
<b>VG53DG</b>	1x39,4W	3000	4750 lm	●	3,9
<b>VG54DG</b>	1x39,4W	4000	4980 lm	●	3,9
<b>VG63DG</b>	1x35,2W	3000	5800 lm	●	3,9
<b>VG64DG</b>	1x35,2W	4000	6100 lm	●	3,9

# Pagoda



**Led Bread**



**VGBG**  
3000K  
2540 lm  
CRI 85

**Led Fish**



**VGFG**  
5000K  
3250 lm  
CRI 90








**Led Meat**



**VGMG**  
4000K  
1760 lm  
CRI 82

## SPECIAL COLOUR TEMPERATURE FOR FOOD INDUSTRY





### LEDS FOOD

		W	K	LUMEN	COLOUR	
<b>VGBG</b>		1x29,9W	3000	2540 lm		3,9
<b>VGFG</b>		1x25,5W	5000	3250 lm		3,9
<b>VGMG</b>		1x25,5W	4000	1760 lm		3,9


Concentric diffuser

## ACCESSORIES


### Suspension accessory

	L (m)	COLOUR
<b>1027VPG</b>	4	
<b>1028VPG</b>	2	
<b>1029L2VP</b>	2	
<b>1029L4VP</b>	4	

**1027VPG**  
**1028VPG**



**1029L2VP**  
**1029L4VP**



The suspension accessory does not include the power cable.

